



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/598,398

12/22/2006

Charles Watkinson

3733

60333

7590

08/20/2008

EDWIN D. SCHINDLER
FIVE HIRSCH AVENUE
P.O. BOX 966
CORAM, NY 11727-0966

EXAMINER

COHEN, JODI F

ART UNIT

PAPER NUMBER

1791

MAIL DATE

DELIVERY MODE

08/20/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/598,398	Applicant(s) WATKINSON, CHARLES	
	Examiner Jodi Cohen	Art Unit 1791	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 5-9 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 5-9 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 August 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>09/06/2006</u> . | 6) <input type="checkbox"/> Other: ____. |

FORMATION OF GLASS FLAKES

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 5-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Watkinson (US 5017207).

Regarding claim 5, Watkinson discloses a method for changing the size and thickness of the flake comprising the steps of feeding molten glass in a down direction to a rotating cup (5); allowing the stream to flow over the edge of the cup and into a gap (19) and in an angular direction via air flow between plates (9 and 11). Therefore the stream is kept in a flattened state and pulled so as solidification or cooling of the molten glass occurs. The thickness of the flake can be changed by the step of adjusting the flow of glass into the cup, the speed of rotation of the cup, the distance between the annular extraction plates, varying the vacuum pull or velocity through the gap between the annular extraction plates, and/or the diameter of the plates. Furthermore, Watkinson discloses that each different material requires different parameters such as the speed of rotation of the cup, temperature of the molten material, volume of the molten material, gap between the plates, and airflow between the plates will be different and that the variable parameters can be varied within wide ranges and all have an inter-

Art Unit: 1791

relation to each other. Watkinson states “that based on the material and the variable parameters above it would be apparent one skilled addressee in the art how to vary the parameters to produce flakes of required size and thickness. It is preferred, therefore that the apparatus includes means to vary as many of the above parameters as possible so that a wide variety of materials can be manufactured on the apparatus both in diameter and thickness without further grading, crushing or grinding being necessary (Col 2; lines 20-65, Col 3; lines 6-66).

Watkinson does not explicitly disclose adjusting the distance between the cup or disc and an entrance to the gap between the pair of plates to achieve the desired thickness; however Watkinson does teach varying the many parameters discussed above in order to vary the thickness of the flake. Among the above mentioned parameters, Watkinson discloses varying the diameter of the plates to adjust the thickness of the flake produced. Varying the diameter of the plate would adjust the distance over which the molten material flows after it has flowed out of the cup. Therefore, as one skilled in the art would notice, it is the modification of the distance over which the molten material travels after it has flowed out of the cup that causes a change the thickness of the flakes produced. Thus it would have been obvious to a person of ordinary skill in the art to try to vary the distance between the cup and the entrance gap in an attempt to vary the distance the material flows after leaving the cup and achieve a desired particle thickness distribution of flakes, as a person with ordinary skill has good reason to pursue the known options within his or her grasp. In turn, because altering the distance that the molten material travels by varying the parameters

Art Unit: 1791

of the apparatus would change the distribution of size and/or thickness of the particles as predicted by the prior art, it would have been obvious to vary the distance between the cup and entrance to the gap between the pair of plates. *KSR*, 550 U.S. at ____, 82 USPQ2d at 1391.

Regarding claims 6-9, it would have been obvious to one of ordinary skill in the art to vary the gap between the cup and the pair of plates in order to change the distance the molten material travels as discussed above. Watkinson does not disclose changing the distance between the cup and the gap between the plates by a specific percentage, however the normal desire of scientists or artisans to improve upon what is already generally known provides the motivation to determine where in a disclosed set of percentage ranges is the optimum combination of percentages. *In re Hoeschele*, 406 F.2d 1403, 160 USPQ 809 (CCPA 1969). Furthermore, a variable which achieves a recognized result, before the determination of the optimum or workable ranges of said variable might be characterized as routine experimentation. *In re Antonie*, 559 F.2d 618, 195 USPQ 6 (CCPA 1977)

In the instant case the change in thickness of the flake is an expected result of changing the distance between the gap to the plates and the rim of the cup. Thus, it would have been obvious to determine, through routine experimentation, the optimum range to vary the distance between the cup and the entrance to the plate to produce flakes with the desired thickness because the prior art teaches adjusting many parameters, including the distance the molten material flows, to vary the thickness size distribution.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claim 1 is rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 9 of U.S. Patent No. 5,017,207 in view of WO88/08412. Although the conflicting claims are not identical, they are not patentably distinct from each other because ‘207 claims;

A method of forming flakes of frangible material from a heated stream of molten material, which comprises

(a) supplying a heated stream of molten material which is capable of forming frangible flakes upon cooling from molten to solid state, in a downward direction into a cup having an open mouth defined by an edge and which faces

upwardly,

(b) simultaneously rotating the upwardly facing cup to cause the stream of molten material to flow upwardly over the edge of the cup and radially outwardly therefrom under centrifugal force,

(c) subjecting the outwardly flowing molten material to a flow of air radially outwardly in a gap defined between a pair of substantially parallel plates to direct the flow of molten material radially outwardly between the plates without touching the plates for solidifying the molten material, the flow of air being sufficient to maintain the molten material flat and to pull the molten material radially outwardly between the plates as it solidifies, and

(d) breaking the flat solidified material into flakes by continued subjecting of the solidified material to the flow of air radially outwardly between the plates.

Watkinson '207 includes all of the claimed features of the present application except for varying a distance between the cup, or the disc, and an entrance to the gap between the pair of plates to obtain a desired particle thickness. However, '412 discloses the thickness of the flake can be changed by the step of adjusting the flow of glass into the cup, the speed of rotation of the cup, the distance between the annular extraction plates, varying the vacuum pull or velocity through the gap between the annular extraction plates, and/or the diameter of the plates. Furthermore, '412 discloses that it would be "readily apparent to the skilled addressee of the specification on how to vary the parameters to produce flakes of required size and thickness, thus it

Art Unit: 1791

would have been obvious to vary the distance between the cup and the entrance to the gap in order to achieve the desired thickness.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jodi Cohen whose telephone number is 571-270-3966. The examiner can normally be reached on Monday-Friday 7:00am-5:00pm Eastern.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on 571-272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jodi F. Cohen/
Examiner, Art Unit 1791
/ Carlos Lopez/

Application/Control Number: 10/598,398
Art Unit: 1791

Page 8

Primary Examiner, Art Unit 1791